



## UTTAR PRADESH POLLUTION CONTROL BOARD

Validity Period :23/07/2019 To 23/07/2024

Ref No. - 57674/UPPCB/Unnao(UPPCBRO)/CTE/UNNAO/2019

Dated:- 26/07/2019

To ,

Shri MOHIT CHAK

M/s 15 MLD UNNAO STP

VILAGE DAKKARI UNNAO 209862,UNNAO,209862

UNNAO

**Sub :** Consent to Establish for New Unit/Expansion/Diversification under the provisions of Water (Prevention and control of pollution) Act, 1974 as amended and Air (Prevention and control of Pollution) Act, 1981 as amended.

Please refer to your Application Form No.- 5218431 dated - 10/05/2019. After examining the application with respect to pollution angle, Consent to Establish (CTE) is granted subject to the compliance of following conditions :

1. Consent to Establish is being issued for following specific details :

A- Site along with geo-coordinates :

B- Main Raw Material :

Main Raw Material Details		
Name of Raw Material	Raw Material Unit Name	Raw Material Quantity

C- Product with capacity :

Product Detail	
Name of Product	Product Quantity

D- By-Product if any with capacity :

By Product Detail			
Name of By Product	Unit Name	Licence Product Capacity	Install Product Capacity

2. Water Requirement (in KLD) and its Source :

Source of Water Details		
Source Type	Name of Source	Quantity (KL/D)

3. Quantity of effluent (In KLD) :

Effluent Details	
Source Consumption	Quantity (KL/D)

4. Fuel used in the equipment/machinery Name and Quantity (per day) :

Fuel Consumption Details		
Fuel	Consumption(tpd/kld)	Use

5. For any change in above mentioned parameters, it will be mandatory to obtain Consent to Establish again. No further expansion or modification in the plant shall be carried out without prior approval of U.P. Pollution Control Board.

For any change in above mentioned parameters, it will be mandatory to obtain Consent to Establish again. No further expansion or modification in the plant shall be carried out without prior approval of U.P. Pollution Control Board.

2. You are directed to furnish the progress of Establishment of plant and machinery, green belt, Effluent Treatment Plant and Air pollution control devices, by 10th day of completion of subsequent quarter in the Board.
3. Copy of the work order/purchase order, regarding instruction and supply of proposed Effluent Treatment Plant/Sewerage Treatment Plant /Air Pollution control System shall be submitted by the industry till 23/07/2024 to the Board.
4. Industry will not start its operation, unless CTO is obtained under water (Prevention and control of Pollution) Act, 1974 and Air (Prevention and control of Pollution) Act, 1981 from the Board.
5. It is mandatory to submit Air and Water consent Application, complete in all respect, four months before start of operation, to the U.P. Pollution Control Board.
6. Legal action under water (Prevention and control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981 may be initiated against the industry With out any prior information, in case of non compliance of above conditions.

**Specific Conditions:**

1. This consent to establishment is valid for Sewage Treatment Plant of capacity 15 MLD, at Gata no.77, vill- Dakkari, Pargana-Hadaha, Unnao.
2. The project shall comply with the provisions of Environment (Protection) Amendment, Rules 2018 notified by MoEF&CC by Notification no 49 Dt. 25-01-2018, Environment (Protection) Act 1986, Water (Prevention and Control of Pollution) Act, 1974 as amended, Air (Prevention and Control of Pollution) Act, 1981 as amended, Plastic Waste Management Rules 2016, E- Waste (Management) Rules 2016, Solid Waste Management Rules 2016, Hazardous and other Waste (Management and Transboundary Movement) Rules 2016 & Construction and Demolition Rules 2016. (Whichever is applicable)
3. At the project site a display board of size 4x6 feet shall be installed to display the provisions of Construction and Demolition Rules 2016.
4. Unit shall develop green belt as per the protocol of Board's office order H16405/220/2018/02 dated 16-02-2018, which is available on Board's Website [www.uppcb.com](http://www.uppcb.com).
5. The project shall comply with the orders/directions issued by Hon'ble NGT /Hon'ble Supreme Court/hon'ble Highcourt & Board time to time.
6. The project shall setup 01 no. 750 KVA DG set having stack and acoustic enclosure as per prescribed norms.
7. The web cameras shall be installed at the proper places. Online continuous monitoring system shall be installed for monitoring of emissions and connected with CPCB/Board's server.
8. The treated sewage shall be utilized for irrigation as well as other purposes so that it may not be discharged into City Jail drain which ultimately meets river Ganga. A detailed plan for the same shall be submitted to the Board within 03 months.
9. The treated sewage shall conform to the standards as would be prescribed time to time by Hon'ble NGT/Ministry of Environment, Forest and Climate Change Government of India/CPCB, New Delhi/UPPCB, Lucknow and the proposal for installation of STP shall be amended accordingly.
10. Project shall not start gaseous emission & sewage generation without prior consent of the board.
11. The dust emission from the construction sites will be completely controlled and all precautions will be taken in that behalf.
12. Project shall be constructed as per approved map.
13. The construction material of any kind stored on site will be fully covered in all respect so that it does not disperse in the air in any form.
14. The PP shall submit a bank guarantee of Rs 10.0 Lac in favour of the Board incorporating the condition no. 01 to 13 within 15 days for ensuring the compliance of conditions.

Please note that consent to Establish will be revoked, in case of, non compliance of any of the above mentioned conditions. Board reserves its right for amendment or cancellation of any of the conditions specified above. Industry is directed to submit its first compliance report regarding above mentioned specific and general conditions till 26/08/2019 in this office. Ensure to submit the regular compliance report otherwise this Consent to Establish will be revoked.

**Chief Environmental Officer, Circle-5, UPPCB.**

Dated:- 26/07/2019

**Copy To -**

Regional Officer, UPPCB, Unnao.

**Chief Environmental Officer, Circle-5, UPPCB.**